



— BROCK SOLID™ —

BIN SWEEPS



Safeguarding Your Grain™ Since 1957

Protecting Your Investment

When months of hard work go into producing a grain crop, trust it to the best in grain sweeps: Brock.

Brock Solid™ is our guarantee of trusted reliability you can count on day in and day out. It's unmistakable quality, built to last year after year. And it's the


same guarantee we founded the company on back in 1957.

Today, our dealers continue to uphold those standards, providing the superior service and support customers expect from Brock. Brock Solid means you can depend on them and us. Times may

change, but our solid values are stronger than ever.


Whether you're a farmer storing your own grain or a commercial operation entrusted with safeguarding your customer's crops, Brock Solid delivers. Always has, always will.

1000 Series




Light to Medium Farm Usage

Bin Diameters	15-60 feet (4.6-18.3 m)
Bin Eave Height Limitation	60 ft. (18.3 m)
Auger Diameters	8, 10 or 12 inches (203, 254 or 305 mm)
Capacity Range	2,400-10,000 bushels (61-254 metric tons) per hour



Clean Sweep is a self-cleaning end drive wheel design that leaves less grain on the floor and along the bin sidewall than a traditional sweep.



Internally Engaged Gearbox utilizes heavy gears and sprockets that are precision-machined for durability and reliability.

2000 Series



Heavy Farm to Light Commercial Usage

Bin Diameters	30-60 feet (9.1-18.3 m)
Bin Eave Height Limitation	90 ft. (27.4 m)
Auger Diameters	10 or 12 inches (254 or 305 mm)
Capacity Range	3,000-6,500 bushels (75-163 metric tons) per hour



Pre-Set Carrier Wheels enable steady movement of the sweep across the floor. Eliminates the need for bin entry and set-up prior to sweep activation.



Weighted Tractor Drive offers greater traction and has more power to help drive sweep into the grain. Weight on the drive is adjustable.

3000 Series

Medium to Heavy Commercial Usage

Bin 60-105 feet
Diameters (18.3-32 m)

Bin Eave Height 107 ft.
Limitation (32.6 m)

Auger 12 or 16 inches
Diameters (305 or 406 mm)

Capacity Range 6,500-10,000 bushels
(163-254 metric tons) per hour



Advanced Tractor Drive offers long-lasting service in high demand situations. A sprocket-and-ring track drive option is also available.



Innovative Flighting has thicker outer edge to increase auger capacity up to 100 bushels (2.5 metric tons) per hour and to extend the auger's lifespan.

MAVERIK® 4000 Series

MAVERIK HTF®

Heavy Commercial Usage

Bin 60-132 feet
Diameters (18.3-40.2 m)

Bin Eave Height 107 ft.
Limitation (32.6 m)

Auger 12 inches
Diameters (305 mm)

Capacity Range 7,500-15,000 bushels
(190-381 metric tons) per hour



Sprocket-and-Ring Track Drive provides smooth, efficient sweep movement. Dual arm option provides *MAVERIK® HTF Single Pass. Swept Twice.™* clean-up.




All-Hydraulic Sweep with advanced variable-speed technology optimizes time and productivity and can be operated remotely.


Choose the Sweep Model That Best Fits Your Need

Not sure which sweep is best for you? This information chart provides a simple comparison for Brock's grain bin sweeps.

Contact your local Brock dealer for details.




A Full Line of Brock Solid™ Solutions



Storage

- Stiffened & Non-stiffened Grain Bins
- Stiffened & Non-stiffened Hopper Bins
- Temporary Storage
- Bin Access Doors
- Grain Aeration Floors



Handling

- Grain Sweeps
- Grain Conveyors
- Bin Unloading Systems
- Bucket Elevators
- Distributors & Accessories



Conditioning

- Low-Profile Grain Dryers
- Tower Grain Dryers
- Centrifugal & Axial Fans
- Heaters
- Controls



Structures

- Catwalks
- Bucket Elevator Towers & Stairways
- EVERLOC® Roof Mount System
- Support Towers
- Slot & Tab Construction

For nearly 60 years, farmers have counted on Brock for reliable, quality grain storage. That focus on providing dependability has led to technological advances and expansion through the years, resulting in the full line of grain facility solutions that are available today.

Whether you're a farmer interested in a grain dryer or a commercial operator in need of grain storage equipment, you'll find the quality you've come to expect and the trusted integrity you deserve.



— **BROCK SOLID™** —

Safeguarding Your Grain™ Since 1957



DIVISION DE JOLCO EQUIP. INC.
410, route 133 Pike-River, Qc J0J 1P
Tél.: 450-248-3383 / Fax : 450-248-7006
www.equipementsdussault.com

2014

BROCK GRAIN SYSTEMS

A Division of CTB, Inc.

A Berkshire Hathaway Company

Phone: +1 574.658.4191

www.brockgrain.com

E-mail: brock@brockgrain.com

BR-2279/201608